



ISO 9001:2008
ISO 14001 : 2004
OHSAS 18001:2007

GLOBAL COAL & MINING PVT. LTD.

(An ISO 9001:2008, 14001:2004 & OHSAS 18001:2007 Certified Unit)

Plant & Office : Near Lakhanpur O.C.P., P.O. Ubuda, Via : Belpahar, Dist. : Jharsuguda (Odisha)
Mobile No.- +91 9078072368, +91 9238060218, E-mail : gcmplibvalley@gmail.com

Head Office : 7th Floor, Corporate Tower, Ambience Mall, NH - 8, Gurgaon - 122001 (Haryana), Ph. : 0124 - 2719000, Fax : 0124 - 2719090
E-mail : gmininghq@gmail.com, gmining@vsnl.net
Branch Office : C / 30, Palaspali, Aerodrome Area, Bhubaneswar - 20, Phone : 0674 - 2591305, 2593710, Fax No. : +91 - 674 - 2591305

Ref No: GCMPL/IB/17-18/567

Date: 01.12.2017.

To,
Shri M.R.Prasad, Research Officer,
Eastern Regional Office,
Ministry of Environment & Forests, Govt. of India,
A/3, Chandrasekhapur, Bhubaneswar-751 023,
Odisha.

Sub: - Submission of Environmental Statement upto 1st December, 2017.

Dear Sir,

With reference to the above, we are enclosing herewith Environment Statement upto 30th November 2017 of M/s Global Coal & Mining Pvt. Ltd. We are also enclosing herewith the Ambient Air quality monitoring test report, CSR activity and CSR Photo and production statement.

This is for your kind information and necessary action please

Thanking You,

Yours Faithfully,
For, Global Coal & Mining Pvt. Ltd.,

B.R. Tripathi
Vice-President

Encls:- As Above.



TIN No.- 21351302031

O.S.T. No. : DL - 4232, Dt. - 24.11.2001

CIN No.-U10102DL1998PTC094328

C.S.T. No. : DLC - 1889, Dt. - 24.11.2001

Beneficiated Coal for Better Environment

**Ministry Of Environment & Forests,
Eastern Regional Office,
A/3, Chandrashekarapur, Bhubaneswar-751023.**

Half-yearly Compliance Report of Specific Conditions as per MoEF of Global Coal & Mining Pvt. Ltd., Ib-Valley, Belpahar, Jharsuguda, Odisha upto 1st December, 2017.

SL	Specific Conditions	Compliance Report
(i)	The company shall prepare a Plan for transportation of the entire washed coal by rail mode only. All internal transport of the entire raw coal and clean coal within the washery shall be closed belt conveyors only.	WASHED Coal dispatched only by Rail mode. All coal in plant conveyed by closed belt system.
(ii)	The proponent shall be establish a railway siding within 3 years for transportation of washed coal from the washery	Yes, we have established own siding.
(iii)	The entire coal rejects shall supplied to companies for use in their FBC based TPP of companies with whom MOU/Agreements have been entered with. The linked FBC based Thermal Power Plant shall be existing operational units or commissioned within 2 years of operation of the washery.	Agreed. All Rejects supplied to FBC Boiler, Thermal Plant only.
(iv)	The raw coal, washed coal and coal waste (rejects) shall be stacked properly at enmarked site(s) within stockyards fitted with wind breakers/shields. Adequate measures hall be taken to ensure that the stored minerals do not catch fire.	Agreed & Done
(v)	Hoppers of the coal crushing unit and washery unit shall be fitted with high efficiency bag filters and mist spray water sprinkling system shall be installed and operated effectively at all times of operation to check fugitive emission from crushing operations, transfer points of closed belt conveyor systems and from transportation roads.	Bag Filter fitted and mist spray, sprinklers fitted in plant.
(vi)	All internal roads shall be concretised. The roads shall be regularly cleaned with mechanical sweepers. A 3-tier avenue plantation developed along the main roads, and approach roads to the washery.	Yes Road concrete. Plantation done
(vii)	Trucks engaged for mineral transportation outside the washery shall be optimally loaded and covered with tarpaulin with no spillage en route. The trucks shall be properly maintained and emission shall be below notified limits.	Agreed & done.
(viii)	The company shall not use groundwater for the washery operations. Permission from the State Government shall be obtained for sourcing Lilari Nala water for the expansion of the washery operations. Any additional water requirement envisaged shall be obtained by recycle/reuse to the maximum extent and from rainwater harvesting measures.	No ground water is drawn. Water collected from Lilari Nala by permission of Water Resource Department.

(ix)	Industrial waste water (workshop and wastewater from the washery) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422(E) dated 19 th May 1993 and 31 st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed for treatment of workshop effluents.	No waste water discharge to outfield. Closed circuit water in practice.
(x)	The washery unit shall be a zero-discharge facility and no waste water shall be discharged from the washery into the drains/natural watercourses. Recycled water shall be used for development and maintenance of green belt and in the paint Operations.	Agreed
(xi)	Green belt of 2.79 ha shall be developed all along the periphery of the site, along with the areas such as the washery unit, crushing unit and stockyard.	Agreed
(xii)	Socio-economic and welfare measures for the local communities shall be implemented under CSR with a capital outlay of Rs. 1 crore and an annual revenue expenditure of Rs.20 Lakhs and details thereon displayed on the company website	CSR work done regularly. Details sheet attached.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001:2008 & OHSAS 18001:2007 Certified Company, Empanelled with GOCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, OCI for EIA Studies as 'A' Category Consultant Organization Empanelled with PCCF (Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
ICoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

AMBIENT AIR QUALITY MONITORING TEST REPORT

Issued to	Global Coal Mining Pvt. Ltd, Jharsuguda, Odisha
Analysis No.	CEMC/GLOJ-AM001
Nature of Sampling	Ambient Air Sample
Sampling By	B K Samantaray
Instrument Used	Respirable Dust Sampler, Fine Dust Sampler, Gaseous Attachment
Sampling Point	Main Gate-1
Sampling Date	17-07-2017

PARAMETER	UNIT	RESULT	LIMIT AS PER NAAQ 2009
Particulate Matter (PM ₁₀)	µg/m ³	53.6	100
Particulate Matter (PM _{2.5})	µg/m ³	26.8	60
Sulphur Dioxide (SO ₂)	µg/m ³	11.2	80
Nitrogen Oxides (NO _x)	µg/m ³	17.7	80

Authorized Signatory


Seal of Laboratory

Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

As ISO 9001:2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, DCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha
Established in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
and CPCED, Govt. of India, Recognized Environment Laboratory under Environment (Protection) Act, 1986.

AMBIENT AIR QUALITY MONITORING TEST REPORT

Issued to	Global Coal Mining Pvt. Ltd, Jharsuguda, Odisha
Analysis No.	CEMC/GLOJ-AM002
Nature of Sampling	Ambient Air Sample
Sampling By	B K Samantaray
Instrument Used	Respirable Dust Sampler, Fine Particulate Sampler, Gaseous Attachment
Sampling Point	Near Thinner Point
Sampling Date	17-07-2017

PARAMETER	UNIT	RESULT	LIMIT AS PER NAAQ 2009
Particulate Matter (PM ₁₀)	µg/m ³	49.8	100
Particulate Matter (PM _{2.5})	µg/m ³	25.3	60
Sulphur Dioxide (SO ₂)	µg/m ³	11.1	80
Nitrogen Oxides (NO _x)	µg/m ³	14.9	80

Authorized Signatory

Seal of Laboratory

Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.


An ISO 9001-2008 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha
Enlisted in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MoEF&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

AMBIENT AIR QUALITY MONITORING TEST REPORT

Issued to	Global Coal Mining Pvt. Ltd, Jharsuguda, Odisha
Analysis No.	CEMC/GLOJ-AM003
Nature of Sampling	Ambient Air Sample
Sampling By	B K Samantray
Instrument Used	Respirable Dust Sampler, Fine Particulate Sampler, Gaseous Attachment
Sampling Point	Near New Toilet
Sampling Date	18-07-2017

PARAMETER	UNIT	RESULT	LIMIT AS PER NAAQ 2009
Particulate Matter (PM ₁₀)	µg/m ³	53.2	100
Particulate Matter (PM _{2.5})	µg/m ³	26.5	60
Sulphur Dioxide (SO ₂)	µg/m ³	11.3	80
Nitrogen Oxides (NO _x)	µg/m ³	17.2	80


Authorized Signatory



Seal of Laboratory

Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Environmental Studies (EIA & EMP), Monitoring, Forest Diversion Planning, DPR, Wildlife Management Plan, Hazardous & Safety Studies, RS&
GIS, Baseline Survey, Hydrological & Geological Studies, Socio-economic Studies, DGPS & ETS Survey.
Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,
Phone: 0674-2360344, 0674-2360345



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001:2005 & OHSAS 18001:2007 Certified Company, Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, QCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha
Registered in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
M&E&CC, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

AMBIENT AIR QUALITY MONITORING TEST REPORT

Issued to	Global Coal Mining Pvt. Ltd, Jharsuguda, Odisha
Analysis No.	CEMC/GLOJ-AM001
Nature of Sampling	Ambient Air Sample
Sampling By	B K Samantaray
Instrument Used	Respirable Dust Sampler, Fine Dust Sampler, Gaseous Attachment
Sampling Point	Main Gate-1
Sampling Date	16-08-2017

PARAMETER	UNIT	RESULT	LIMIT AS PER NAAQ 2009
Particulate Matter (PM ₁₀)	µg/m ³	51.3	100
Particulate Matter (PM _{2.5})	µg/m ³	26.2	60
Sulphur Dioxide (SO ₂)	µg/m ³	11.4	80
Nitrogen Oxides (NO _x)	µg/m ³	17.3	80

Authorized Signatory

Seal of Laboratory


Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826

E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001:2008 & OHSAS 18001:2007 Certified Company. Empanelled with OCCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, DCI for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha
Empanelled by Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
ISO 14001:2004, Text. of India. Recognised Environment Laboratory under Environment (Protection) Act, 1986.

AMBIENT AIR QUALITY MONITORING TEST REPORT

Issued to	Global Coal Mining Pvt. Ltd, Jharsuguda, Odisha
Analysis No.	CEMC/GLOJ-AM002
Nature of Sampling	Ambient Air Sample
Sampling By	B K Samantaray
Instrument Used	Respirable Dust Sampler, Fine Particulate Sampler, Gaseous Attachment
Sampling Point	Near Thinner Point
Sampling Date	16-08-2017

PARAMETER	UNIT	RESULT	LIMIT AS PER NAAQ 2009
Particulate Matter (PM ₁₀)	µg/m ³	50.9	100
Particulate Matter (PM _{2.5})	µg/m ³	26.2	60
Sulphur Dioxide (SO ₂)	µg/m ³	11.5	80
Nitrogen Oxides (NO _x)	µg/m ³	15.4	80

Authorized Signatory

Seal of Laboratory

Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001:2008 & ISO 14001:2004 Certified Company. Empanelled with OCCL, CRSAC and SPCE of Govt. of Odisha
Approved by NABEP, O. 1 for EIA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha
Empanelled in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
ISO 15189:2013 Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

AMBIENT AIR QUALITY MONITORING TEST REPORT

Issued to	Global Coal Mining Pvt. Ltd, Jharsuguda, Odisha
Analysis No.	CEMC/GLOJ-AM003
Nature of Sampling	Ambient Air Sample
Sampling By	B K Samantray
Instrument Used	Respirable Dust Sampler, Fine Particulate Sampler, Gaseous Attachment
Sampling Point	Near New Toilet
Sampling Date	17-08-2017

PARAMETER	UNIT	RESULT	LIMIT AS PER NAAQ 2009
Particulate Matter (PM ₁₀)	µg/m ³	51.8	100
Particulate Matter (PM _{2.5})	µg/m ³	25.9	60
Sulphur Dioxide (SO ₂)	µg/m ³	11.7	80
Nitrogen Oxides (NO _x)	µg/m ³	16.9	80

Authorized Signatory

Seal of Laboratory

Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101.



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

AN ISO 9001:2008 & ISO 14001:2007 Certified Company. Empanelled with OCCL, ORSAC and SPDS of Govt. of Odisha
Accredited by NABET, GOI for B, C, D, E, F, G, H, I, J, K, L, M, N, O, P, Q, R, S, T, U, V, W, X, Y, Z Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWLW, Odisha
Empanelled in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
MOEF, Govt. of India, Recognized Environment Laboratory under Environment (Protection) Act, 1986.

AMBIENT AIR QUALITY MONITORING TEST REPORT

Issued to	Global Coal Mining Pvt. Ltd, Jharsuguda, Odisha
Analysis No.	CEMC/GLOJ-AM001
Nature of Sampling	Ambient Air Sample
Sampling By	B K Samantaray
Instrument Used	Respirable Dust Sampler, Fine Dust Sampler, Gaseous Attachment
Sampling Point	Main Gate-1
Sampling Date	15-09-2017

PARAMETER	UNIT	RESULT	LIMIT AS PER NAAQ 2009
Particulate Matter (PM ₁₀)	µg/m ³	56.2	100
Particulate Matter (PM _{2.5})	µg/m ³	28.1	60
Sulphur Dioxide (SO ₂)	µg/m ³	11.6	80
Nitrogen Oxides (NO _x)	µg/m ³	16.9	80

Authorized Signatory

Seal of Laboratory

Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826

E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

An ISO 9001-2008 & OHSAS 18001-2007 Certified Company, Empanelled with OJCL, ORSAC and SPCR of Govt. of Odisha
Accredited by NABET, OGI for BA Studies as 'A' Category Consultant Organization. Empanelled with PCDF (Wildlife) & CWLM, Odisha
Empanelled in Construction Industry Development Council (CIDC) established by the Planning Commission (Govt. of India)
ISO 14001, Govt. of India, Recognised Environment Laboratory under Environment (Protection) Act, 1986.

AMBIENT AIR QUALITY MONITORING TEST REPORT

Issued to	Global Coal Mining Pvt. Ltd, Jharsuguda, Odisha
Analysis No.	CEMC/GLOJ-AM003
Nature of Sampling	Ambient Air Sample
Sampling By	B K Samantray
Instrument Used	Respirable Dust Sampler, Fine Particulate Sampler, Gaseous Attachment
Sampling Point	Near New Toilet
Sampling Date	16-09-2017

PARAMETER	UNIT	RESULT	LIMIT AS PER NAAQ 2009
Particulate Matter (PM ₁₀)	µg/m ³	50.2	100
Particulate Matter (PM _{2.5})	µg/m ³	25.3	60
Sulphur Dioxide (SO ₂)	µg/m ³	11.2	80
Nitrogen Oxides (NO _x)	µg/m ³	16.4	80

Authorized Signatory

Seal of Laboratory

Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johal, Pahal, Bhubaneswar-752101,



CENTRE FOR ENVOTECH AND MANAGEMENT CONSULTANCY PVT. LTD.

AN ISO 9001:2008 & ISO 14001:2004 Certified Company. Empanelled with ODCL, ORSAC and SPCB of Govt. of Odisha
Accredited by NABET, GUP for QA Studies as 'A' Category Consultant Organization. Empanelled with PCCF (Wildlife) & CWI, W, Odisha
Member of Environment Industry Development Council (EIDC) established by the Planning Commission (Govt. of India)
Member of Govt. of India, Background & Environment Laboratory under environment (Protection) ACT, 1986.

AMBIENT AIR QUALITY MONITORING TEST REPORT

Issued to	Global Coal Mining Pvt. Ltd, Jharsuguda, Odisha
Analysis No.	CEMC/GLOJ-AM002
Nature of Sampling	Ambient Air Sample
Sampling By	B K Samantaray
Instrument Used	Respirable Dust Sampler, Fine Particulate Sampler, Gaseous Attachment
Sampling Point	Near Thinner Point
Sampling Date	15-09-2017

PARAMETER	UNIT	RESULT	LIMIT AS PER NAAQ 2009
Particulate Matter (PM ₁₀)	µg/m ³	52.4	100
Particulate Matter (PM _{2.5})	µg/m ³	27.1	60
Sulphur Dioxide (SO ₂)	µg/m ³	11.9	80
Nitrogen Oxides (NO _x)	µg/m ³	16.3	80

Authorized Signatory

Seal of Laboratory

Notes:

- The results relate only to the sample tested.
- This Test Report shall not be reproduced wholly or in part without prior written consent of the laboratory.
- The samples received shall be destroyed after two weeks from the date of issue of the Test Report unless specified otherwise.
- This Test Report shall not be used in any advertising media or as evidence in the court of Law without prior written consent of the laboratory.

Regd. Office: 1st Floor, N-5/305, IRC village, Nayapalli, Bhubaneswar-751015, Odisha, India, Mobile: 9861032826
E-mail- ccmc_consultancy@yahoo.co.in, ccmc122@gmail.com, website: www.ccmc.in, Landline: 0674-2360344.

Laboratory At: Plot No. 800/1274, Johai, Pahal, Bhubaneswar-752101,


**GLOBAL COAL & MINING PVT. LTD.,
IB-VALLEY, BELPAHAR, JHARSUGUDA, OR.
CORPORATE SOCIAL RESPONSIBILITY**


ANNEXURE-I


SL No	Particulars	Year 12-13	Year 13-14	Year14-15	Year15-16	Year16-17	Year 17-18
		(Rs)	(Rs)	(Rs)	(Rs)	(Rs)	(Rs)
1	Aid to Jorabaga High School , Jorabaga,Belpahar	24000	36000	36000	36000	46500	24000
2	Donation for Dulduli Festival , Jharsuguda	50000	50000	50000	25000	30000	
3	Avenue Plantation outside & Inside plant area	78000	78000	127800	146000	136109	174000
4	Construction of Shiv Mandir Village-Jorabaga	300000					
5	Financial Assistance to Zenith Dance Academy, Belpahar , Gumadera	10000					
6	Digging of pond in village Baliput and Puja	18260	72700			15000	
7	Digging of pond in Mundapara		10300				
8	Development Intiatives, Jharsuguda Children Culture Festival-	7000					
9	Bhikapali High School Jharsuguda, celebration of Silver Jublee	20000					
10	Drinking water supply in Summer	3000	18000	6000	12000	12000	12000
11	Drinking water supply exp in summer season for village - Mundapara, Baliput & Jorabaga, Thungadera		45000	45000	45000	45000	45000
12	Bundia Satsang coloney	3700	3950	4830	10000	7000	
13	Vyakti Vikas Kendra-Sambalpur	300000					
14	Kiraram Shiv mandir-		157000				
15	Donation to RAES-			52601			
16	Eklabya Sevasharm , Hemgir. RCC Drinking water Tank with Bathing facilities-			180000			
17	Donation for puja, boxing tournament, cricket tourment and others -					86501	140500
18	Anti Mosquito Fogging to the neareby villages-Sanctioned by Collector, Jharsuguda & Consumable expenses.					90700	103483.5
19	Purchase of Jaldoot for supplying drinking water to public- Sanctioned by Collector, Jharsuguda under CSR.						504425
20	Plantation in school of nearest village Kudopali, Katatikra , Jorabaga, Kirarama, Bundia, Jamkani-sanctioned by Collector, Jharsuguda under CSR						256325
21	construction and set up water filter and cooler at Belpahar Railway Station for drinking water supply. Sanctioned by Collector, Jharsuguda and SEC Railways, Bilaspur under CSR						193743
TOTAL-		813960	470950	502231	274000	468810	1453476.5

(Budgeted)

Budgeted







PURIFIED COLD DRINKING WATER

COURTESY By-

M/s GLOBAL COAL & MINING PVT.LTD (BELPAHAR)

ବିଶୁଦ୍ଧ ଶୀତଳ ପାନୀୟ ଜଳ

ସୌଜନ୍ୟ -

ଗ୍ଲୋବାଲ କୋଲ ଅଣ୍ଡ ମାଇନିଂ ପ୍ରା.ଲି (ବେଲପାହାର)

**SAVE CLEAN WATER, IT'S PRECIOUS
EVERY DROP COUNT**



M/s GLOBAL COAL &
MINING PVT. LTD. BELPAHAR



SOUTH EAST RAILWAY
BELPAHAR

୧୫



Monthly Production Report - Linkage Coal

Month	DETAILS OF RAW COAL				DETAILS OF WASHED COAL				DETAILS OF COAL REJECTS			
	Op. Bal.	Received	Fed	Cl. Bal.	Op. Bal.	Generation	Dispatch	Cl. Bal.	Op. Bal.	Generation	Dispatch	Cl. Bal.
April 2017	-	2,782.98	-	2,782.98	52,385.87	-	43,679.75	8,706.12	41,840.63	-	27,253.17	14,587.46
May 2017	2,782.98	98,841.78	100,204.14	1,420.62	8,706.12	70,142.90	20,185.21	58,663.81	14,587.46	29,560.22	19,823.66	24,324.02
June 2017	1,420.62	131,711.76	131,253.78	1,878.60	58,663.81	91,877.65	91,782.87	58,758.59	24,324.02	38,719.87	32,220.53	30,823.36
July 2017	1,878.60	78,874.66	79,639.80	1,113.46	58,758.59	55,747.86	89,451.57	25,054.88	30,823.36	23,493.74	34,063.06	20,254.04
August 2017	1,113.46	112,196.92	104,365.21	8,945.17	25,054.88	73,055.65	54,372.51	43,738.02	20,254.04	30,787.74	4,006.14	47,035.64
September 2017	8,945.17	93,502.12	95,850.55	6,596.74	43,738.02	67,095.39	70,372.33	40,461.08	47,035.64	28,275.91	19,567.24	55,744.31
October 2017	6,596.74	54,385.62	60,648.04	334.32	40,461.08	42,453.63	42,950.37	39,964.34	55,744.31	17,891.17	36,747.87	36,887.61
November 2017	334.32	146,741.52	145,953.10	1,122.74	39,964.34	96,825.29	42,596.15	94,193.48	36,887.61	48,398.05	22,132.43	63,153.23
December 2017	1,122.74	-	-	1,122.74	94,193.48	-	-	94,193.48	63,153.23	-	-	63,153.23
January 2018	1,122.74	-	-	1,122.74	94,193.48	-	-	94,193.48	63,153.23	-	-	63,153.23
February 2018	1,122.74	-	-	1,122.74	94,193.48	-	-	94,193.48	63,153.23	-	-	63,153.23
March 2018	1,122.74	-	-	1,122.74	94,193.48	-	-	94,193.48	63,153.23	-	-	63,153.23
Total:	-	719,037.36	717,914.62	1,122.74	52,385.87	497,198.37	455,390.76	94,193.48	41,840.63	217,126.70	195,814.10	63,153.23